



PRODUCT BULLETIN

ELDORADO PR-2002

NONCHLORINATED PAINT REMOVER

ELDORADO PR-2002 is a nonevaporative, acid-activated paint and primer remover, for removal of polyurethane and epoxy paint systems. **PR-2002** is designed for use on resistant films, which cannot be removed with neutral or alkaline strippers.

PROPERTIES

1. Viscous blue liquid.
2. Contains no chlorinated solvents.
3. Effective on most polyurethane paint systems.
4. Stays wet on the surface for many hours.
5. Contains no hazardous air pollutants.
6. Approved by or conforms to: MIL-R-81903; DPM 5619; AMS 1376A, Embraer

USE

Spray or brush **PR-2002** onto surface to be stripped. Dwell time is dependent upon temperature and airflow, but expect from 1 to 3 hours, with a maximum of 24 hours. Once stripper has loosened paint, squeegee surface to remove loosened paint and stripper residues. If second application of **PR-2002** is required, apply after removing loosened paint. Once operation is complete, surface must be cleaned with alkaline soap. **Eldorado Neutrakleen** is recommended for removing remaining stripper residues and neutralizing any remaining acid. Surface must be cleaned with an alkaline material within 1 hour of stripper removal. Test the pH of the surface with litmus or pH paper to ensure that it is above 7.0.

PRECAUTIONS

When spraying **Neutrakleen** on surface, pay close attention to directing the spray into skin laps and seams. **PR-2002** etches magnesium and embrittles high-strength steel. These materials must be protected from contact with **PR-2002**.

Danger! **PR-2002** is an acid-activated product and is corrosive to skin and eyes. **PR-2002** should always be used with adequate ventilation and proper safety equipment, including full-face shield, rubber apron, boots, and gloves. If any skin contact occurs, flush with water for 15 minutes, then wash with soap and water. If eyes are exposed, flush with water and seek medical attention

Eldorado Solutions, Inc. (dba of Eldorado Chemical Co, Inc.) 8935 N. Meridian Ste 205 Indianapolis, IN 46260
Manufacturing: San Antonio, Miami www.eldoradochem.com techservice@eldoradochem.com (800) 531-1088

NOTICE: The information presented here is based upon our laboratory tests and field use experience. Since conditions of actual use are beyond our control, any recommendations or suggestions are made without warranty, express or implied. **Eldorado Chemical Co., Inc.'s** sole obligation shall be to replace that portion of the product shown to be defective; nor shall we be liable for any loss, damage or injury—direct or consequential—arising out of the use of this product.

Rev. 041503
